


4th Street N

City of Cold Spring
2023 Reconstruction
Preliminary Design
Brian Lintgen, Stantec
9/22/2022



1A

1B

1C

Leave ex. 42" storm and outlets
Modify inlets as needed
Br. rehab and concrete road over Br.
Same road width

2nd Street N

10" San
8" WM
42" Storm
Ex. Road 40'
Prop. Road 36'

2

8" San
8" WM
No storm
Ex. Road 38'
Prop. Road 36'

7

Concrete over culverts
Add sidewalk
26' width to remain

11

1st Street N

Assumed no utility replacement

3

Assumed no utility replacement
Remove angled parking with striping

15

16

17

8" San
8" WM
No Storm
Ex. Road 48'
Prop. Road 42'
Parallel parking

8

12

Main Street

8" San
8" WM
No Storm
Ex. Road 48'
Prop. Road 42'
Parallel parking

13

No San or WM
43"x27" (36") Storm
Storm CB's at 3rd
Ex. Road 65'
Prop. Road 42'
Parallel parking

9

14

1st Street S

Red streets = full utility reconstruction
Orange streets = full street reconstruction only
Green streets = mill and overlay

10

8" San
8" WM
No Storm
Ex. Road 39'
Prop. Road 39'

5th Avenue

Red River Avenue

3rd Avenue

2nd Avenue

